

Helikopter HOSPITAL

Heliport HOSPITAL	Västerås / Västmanlands sjukhus ESEW
2015-03-20 sid 1 (2)	59 37'00" N 016 35'00" E 103 ft
<p>Ambulance and rescue flights only PPR 30 min (00-24). SOS Rescue Coordination Centre +46 (0)21 300165</p> <p>Surface-level TLOF/FATO Ø 20 m Surface Asphalt Safety Area 10m Surface Asphalt D = 20 m, RD 16,3 m Light TLOF-green perimeterlight, Floodlight, Illuminated Windstock</p> <p>Information The airport is located on the south part of the hospital area, 100 m from a locked entrance leading to casualty intake .</p> <p>Heliport service 0739738559 County council 021-173000 Heliportmanager 021-175976</p> <p>No firefighting services Fire extinguishers available</p>	<p>Requested approach and take-off surface Obstacle </p> <p>Surface A Approach - Take-off directions 260° 80°</p> <p>Penetration obstacle in 4,5% surface Obstacle Distance Hiegt over helipad 1 Tree 180m 12,5 m (7%)</p> <p>Surface B Approach - Take-off directions 144° 360°</p> <p>Penetration obstacle in 4,5% surface Obstacle Distance Hiegt over helipad 1 Antenna 180 m 14,5 m (8%) 2 Tree (edge) 226 24 m (11%) 3 Tree 311 30 m (10%)</p> <p> Obstacle Hospital building</p> <p>NOISE ABATEMENT PROCEDURES Approach straight ahead in surface from 1500 ft Climb straight ahead in surface to 1500 ft until turn is initiated.</p>